TECU[®] Copper for Roof and Façade Cladding *Product Range*



KME Germany GmbH & Co. KG TECU® Product Range [GB]







The decision to design building cladding with copper leaves plenty of opportunities for creativity. Durable TECU[®] products from KME offer many unique possibilities. The striking natural surfaces in copper and copper alloys allow for singular design. Prefabricated system elements offer a wide range of solutions, from free-form designs to the simple and economic cladding of larger areas. And so that everything fits together, there is a complete system of rainwater drainage components available.

Once in place, TECU[®] products come to life and become even more beautiful over time.

photographer . Walter Mair





TECU® Classic

In the beginning, the architecture grade material is bright red rolled copper. But what follows is an ever-changing spectacle of weather, light and the natural, lively language of the material: After installation on the building, TECU® Classic retains its typical bright red copper colouring for a period of time. Changes are very gradual and not entirely predictable – just like the weather, which, in turn, is solely responsible for copper's continual changes. First, the surface turns matt. Gradually, the material develops an oxide layer to protect it against the effects of weathering. This process brings with it striking colour variations through an entire range of brown and brown-violet tones, offering varying nuances according to change of light and season.

Ultimately, on the sloping surfaces, the colour process yields a robust green patina – as is typical for copper surfaces. This patina lends the cladding its distinctive character, at the same time providing long-lasting protection for decades to come.

Lasting value, durable yet changeable.

TECU® ECOLOGICAL COPPER

for a greener, more responsible Architecture







TECU[®] Classic_coated The longer bright beauty of copper

TECU® Classic_coated is the time-tested TECU® Classic copper in various thicknesses, provided with a transparent 2-layer PVDF coating system.



As if touched by nature, in magnificent shades of brown.



TECU[®] Oxid

Time-tested TECU® Classic quality copper with a completely different look: With TECU® Oxid, the initial bright, freshly-installed copper, and the gradual change of colour to shades of brown is simply bypassed. Natural changes on the building start immediately with a brown oxide layer. The process continues as with classical copper: Nature changes the surface through the effects of sun, rain, snow and wind, giving it an exciting life of its own – always unique, typical copper.

TECU[®] Oxid copper sheets and strips are pre-oxidised on both sides in a patented industrial process that is gentle on the material. The oxide layer is not artificial but results naturally from the copper itself.









TECU® Patina

Green copper for immediate creative application - all natural, no limits.

Often the shortest path takes you directly to your goal. When the design demands the power and expressiveness of the patina green typical for copper, then it should be implemented just as required - without waiting for the gradual changes caused by natural weathering. The solution is TECU[®] Patina – on one side patinated copper for immediate use to satisfy the highest aesthetic demands in building design.

 $\mathsf{TECU}^{\scriptscriptstyle \otimes}$ Patina is always extremely varied, just as you would expect from a natural surface. The many different surface tones and shades eventually blend together, but only gradually. The unique developments occurring in TECU® Patina are exciting – just as modern architecture should be.

The temporary yet robust transparent layer ensures long-lasting protection. Processing is virtually dust-free. Traces of processing remain practically invisible on the material surface, and even after folding and bending, the patina layer remains in good condition. After installation, the surface develops in the completely natural manner characteristic of copper.

KME is now in a position to additionally offer four archetypal versions of natural patina, based on the proven industrial manufacturing procedure for the well-known TECU® Patina. The expansion of the TECU® Patina line of products therefore provides architects, installers and planners with additional design options, which will certainly also meet with great interest in the field of historic building preservation. TECU[®] Patina again proves to be extremely versatile, as is typical for natural surfaces.

New diversity for a green facade.











TECU[®] Zinn

Colourful grey: elegance and durability.

The elegant understatement of the exquisite matt grey surface harmonises excellently with many other building materials. And the connection between two exceptional metals combines the proverbial longevity of the carrier material with a metallic surface which, although not typical for copper, strikes just the right note.

To manufacture TECU[®] Zinn, copper strips are specially tinned and surface-treated on both sides. The resulting surface gradually takes on the distinctive matt greenish-grey tone when exposed to weathering. This material leaves plenty of opportunities for architects and anstallers, when a light grey surface is requested. Although there is no need to abstain form the technical advantages of copper as for example long durability, protection against back-side corrosion and temperatureindependent processing.





TECU[®] Brass

A new kind of Brass modern and expressive.





Copper alloys are the new "highlight" façade materials: singular, extremely durable and distinctly "alive". One of the best-known copper alloys, Brass is given particular quality in the form of TECU[®] Brass, a special alloy of copper and zinc.

The TECU® Alloy materials also display individual characteristics as they weather naturally to exteriors. The original surface of TECU® Brass changes through from initial matting gradually to a greenish-brown, that further develops to greyish brown then dark brown/anthracite colours. Sloped areas such as roofs ultimately develop a patina surface, akin to that of pure copper, yet quite clearly different.





dark_circular grinded

middle_linear grinded

light_circular grinded





TECU[®] Brass_brownished

Architects and designers seeking bespoke and refined surface finishes on TECU® Brass, can enjoy a range of differing burnished TECU[®] Brass finishes. KME Germany Gmbh & Co KG offers TECU[®] Brass_burnished with either linear-ground or orbitalground texture in four shades (extra-light, light, middle, dark). After grinding and burnishing, the surfaces are given a light wax preservative finish. All these surfaces are very well-suited to creating impressive and refined interiors. For more information, please contact us.

extra_light_linear grinded

Bronze - an alloy of copper and tin and a synonym for metallic works of art. While artists have long made use of bronze, architects are now also able to make optimum use of the material - for more refinement in façade design.

pure copper.



Offering architecture new perspectives.





The original warm reddish-brown surface of TECU® Bronze develops in a distinctive manner through weathering. A brown-red surface oxidation with a brown-grey undertone is typical for this alloy; the material then gradually changes to dark brown anthracite throughout. The subsequent patina coating forms much more slowly than with





TECU[®] Gold

Gold is more than overpowering gloss: TECU[®] Gold, the new copper and aluminium alloy for façade cladding, will soon after installation begin to develop a very elegant matt brown-golden appearance reminding of gold in a very specific way.

Façade solutions in TECU[®] Gold give buildings a discreet value image. Depending on the incidence of light on façade surfaces, a fascinating, unequalled play of colours can be witnessed.







TECU[®] Iron in the variants TECU[®] Iron one and *TECU*[®] *Iron_two* enable you to create fascinating and lively perspectives with copper in facade cladding and in roof design.

TECU[®] Iron Copper: sensationally different!

TECU® Iron complements the TECU® product portfolio by adding an interesting and extraordinary option, which is already attracting a considerable degree of attention amongst architects and planners: an intensive reddish-brown copper surface finish, bringing weathered steel to mind, but also with all the positive features associated with copper, such as excellent formability, unrivalled durability and ease of processing.

TECU[®] Iron is offered in two versions: TECU[®] Iron_one and TECU[®] Iron_two, which differ in the vividness of the surface finish. TECU[®] Iron is offered as a sheet up to a size of 1,000 x 3,000 mm and also as the composite material TECU® Bond_iron.

TECU® Iron also repeatedly proves to be versatile and extremely lively, a feature typical for natural surface finishes; the nuances and shades of the surface blend gradually as time goes on. After installation on the object, the surface continues to develop. The individual development is extremely fascinating - just as modern architecture should be.

Light and shade, bright and dark, dry and wet all generate different optical nuances that make TECU® Iron a popular material for metal facades.

Another decisive advantage: TECU® Iron is made exclusively and to 100% from recycled copper! This significant added value of many TECU® products can be a decisive argument in favour of use in buildings with LEED, BREEAM or DGNB certificates, which are increasingly in demand, particularly for public buildings. TECU® Ecological Copper complies in all properties with materials made of new metals and surpasses all requirements of the European standard EN 1172.

TECU[®] stands for the combination of high quality and comprehensive service. As one of the worldwide leading producers of copper and copper alloy semis, KME with its application-related consultation services provides supports for planners, architects and installers, even beyond the European borders.



TECU[®] VISION_punch

Perforations offer many new possibilities for individual design with TECU® surfaces. Many different levels of transparency can be created – from almost complete transparency to a subdued translucence. The effect of back-lit facades can be designed very individually by using different TECU® surfaces and a large number of different perforation patterns. There are also virtually no limits to the use of perforated TECU® products as decorative elements indoors.

> New vista: The impressive TECU® surfaces with individual perforation.

TECU® VISION_shape

Amorphous structures, wave shapes, organic three-dimensional patterns, spherical impressions in copper: TECU[®] surfaces are now complemented by a third dimension. For building applications this means livelier, more individual facades with a very expressive presence. The natural copper surfaces now seem to take on a different appearance at different times of the day and with every change in light and shadow. The long-term change in appearance also seems to occur in a different manner from what we are used to: since the natural oxidation process on copper depends on the angle of the surface, the colour changes on three-dimensional surfaces differ considerably.

New dimension: Time and time again new, unexpected, fascinating solutions in copper.



TECU[®] Brass_shape Wave

TECU® Classic_punch Square perforation Diagonal rows offset







TECU® Classic_punch Round perforation Scattered







TECU® Classic_shape Bubbles scattered



TECU[®] Gold_shape Small bubbles scattered



TECU® VISION_mesh

New structure: Copper curtains for protective transparency.

The material is first perforated and then stretched to create a copper rib mesh – a metal curtain with functional aesthetic qualities. The many different textile-like structures of the TECU[®]_mesh surfaces provide openness and create a solid barrier, offering both transparency and mechanical protection. TECU[®]_mesh surfaces in rib mesh design – for individual and characteristic impressions of light and space.





Mesh length (ML) Distance from centre nodal point to centre nodal point toward the long diagonal.

Mesh width (MB)

Distance from upper edge nodal point to upper edge nodal point toward the short diagonal.

Strand width (SB)

Width of the material remaining between the openings.

Strand thickness (SD) Thickness of the used material. not flattened





flattened



Diamond-shaped mesh, long strand mesh, round mesh, square mesh, decorative mesh: flattened if required

KME Germany GmbH & Co. KG – TECU[®] VISION

TECU® VISION_flatmesh

The even structures of the flat rolled rib mesh of TECU[®]_flatmesh offer openness and solidity, the mechanical protection of an open metal skin and the porosity of a semi-transparent curtain. On the building the use of TECU[®]_flatmesh brings a pleasant lightness to the façade with the mesh structure seeming to float in front of the back-ground. When installed in front of glass areas TECU[®]_flatmesh products offer security in an aesthetic form as well as fascinating impressions from inside and outside.



TECU[®] Bond

Bonded with copper: creating large surfaces fast and perfect.

Cladding large façades and interior areas quickly and economically with TECU[®] quality copper – without compromising on the outward appearance. Never before have projects been so easy to implement as with TECU[®] Bond. The new composite material offers all the aesthetic properties of the TECU[®] surfaces but can be cut to size and installed on large areas much more quickly and easily.

TECU[®] Bond is extremely even and warp resistant, has an optimised weight, low thermal expansion and high mechanical resistance to wind loads, impact, shock and pressure. The material construction is amazingly simple and efficient: under high pressure, 0.3-mm-thick sheets of TECU[®] copper are applied onto both sides of a polyethylene core. This creates an extremely robust composite material.



TECU[®] Bond is prepared and cut to size in the workshop; the sheets are then installed on the building site in no time at all. And to prevent damage to the materials, as can happen in a rush, a protective film is applied to the visible surface in the factory. The film is removed after the sheets have been installed. Thus, TECU[®] Bond offers elegant solutions at a reasonable cost for many projects such as ventilated curtain walls, fascia, parapet and soffit cladding, roofing and interior work and many more.



TECU[®] Sheets and Strips for Seamed and Batten Cap Cladding

Ideal for custom designed free forms as well as the traditional roof and façade construction design: using angle standing seams and batten cap cladding. TECU® products for these types of cladding are available in sheets and strips.

The modern use of rolled copper in facade and roofing, the higher product quality requirements and the development of new, more demanding techniques for metalworking mean that copper has to meet much higher expectations today than ever before. TECU® sheets and strips for facade and roofing are manufactured in accordance with EN 1172 and KME's own strict quality control guidelines. Material tolerances for dimensions and properties are well within or even tighter than standard limits, and further processing by machine or hand is considerably easier.

TECU[®] System Shingles TECU[®] System Rhomboids

Besides their special aesthetic qualities, TECU[®] System Shingles and TECU[®] System Rhomboids offer decisive economic advantages in façade design: cladding elements are laid simply by hanging them and interlocking them with each other.

The shingles and diamond system shingles have a 180° border on all sides. Two sides are provided with a fold coming forward or with a downstand. The individual elements are available as left or right tiling. All folds and notches are automatically pre-processed in the factory. At the edges, all the usual processing techniques such as bevelling, folding and bending can be used. This ensures that the corners of buildings and connections to other constructional elements such as windows and doors are completely weatherproof.

TECU[®] Slot-In Panels System

TECU® Panels are two-sided cladding elements, with or without an end base, depending on the construction. Individual lengths are as long as 4,000 mm with a standard width of up to approx. 400 mm. Assembly at the building site is performed according to the tongue and groove principle or by overlapping.

The panels can be assembled in various directions – vertically, horizontally or diagonally. There are three basic forms, depending on the design:

- Slot-in panels laid vertically as a level surface facade cladding
- Slot-in panels laid horizontally as a level surface facade cladding
- Special panels with visible or concealed fixings, laid in various ways, with a level surface or overlapped.

TECU[®] Cassettes

TECU[®] Cassettes are cladding elements with folded edges on all sides available in a range of geometrical proportions from 1:1 to 1:4. They are exclusively pre-profiled to the customer's specifications and/or according to suggestions made by the architect.

Cassette cladding allows a great deal of flexibility concerning formats, the layout of joints and fixing principles. Folded edges on every side allow even larger sheet metal parts to lie even with the cladding surface.

Fixing is usually achieved by riveting, screwing, hidden/subsurface fittings or by means of bolt hooks to fix the cassettes directly to the substrate.













	TECU [®] Sheets																																	
Width x Length (mm) 600 x 3000 670 x 2000					670 x 3000				1000 x 2000				1000 x 3000					1250 x 2500																
	Thickness (mm)	0.6	0.7	1.0	0.5	0.7	1.0	1.2	1.5	0.5	0.6	0.7	1.0	1.2	1.5	0.6	0.7	1.0	1.2	1.5	2.0	0.6	0.7	1.0	1.2	1.5	2.0	4.0*	0.6	0.7	1.0	1.5	2.0	4.0*
	TECU [®] Classic															S	S	R		R	R	S	S	S		R	R	S	R	S	S	R	R	R
	TECU [®] Classic_coated**					R						R					R						R					R						
	TECU [®] Oxid																S	S	R				S	S	R			R						
	TECU® Patina**	R	R	R							R	R	R			R	R	R	R	R	R	R	R	R	R	R	R	R						
	TECU® Patina_Boston**	R	R	R							R	R	R			R	R	R	R	R	R	R	R	R	R	R	R	R						
	TECU® Patina_Hamburg**	R	R	R							R	R	R			R	R	R	R	R	R	R	R	R	R	R	R	R						
	TECU® Patina_Madrid**	R	R	R							R	R	R			R	R	R	R	R	R	R	R	R	R	R	R	R						
	TECU® Patina_Oslo**	R	R	R							R	R	R			R	R	R	R	R	R	R	R	R	R	R	R	R						
	TECU [®] Brass					R	R					R	R				R	R		R	R		R	R		R	R	R						
	TECU [®] Brass_brownished**																	R		R	R			R		R	R	R						
	TECU [®] Bronze					R	R		R			R	R		R																			
	TECU [®] Gold				R	R	R	R		R		R	R	R			R	R	R				R	R	R									
	TECU® Iron_one**	R	R	R							R	R	R			R	R	R	R	R	R	R	R	R	R	R	R	R						
	TECU [®] Iron_two**	R	R	R							R	R	R			R	R	R	R	R	R	R	R	R	R	R	R	R						

* = as TECU® Bond ** = min. order quantities, please ask R = on request S = standard

TECU® Strips	ECU® Strips																				
Width (mm)	500				600				670						1000				1250		
Thickness (mm)	0.6	0.7	1.0	0.5	0.6	0.7	1.0	1.2	0.5	0.6	0.7	1.0	1.2	1.5	0.6	0.7	1.0	1.2	0.6	0.7	1.0
TECU [®] Classic	S	S			S	S				S	S				S	S	R		S	S	
TECU [®] Classic_coated**											R	R		R		R	R				
TECU [®] Oxid	R	R	R		R	R	R			S	S	R			S	S	R		R	R	R
TECU [®] Zinn					R	R				S	S										
TECU [®] Brass											R	R				R	R				
TECU [®] Bronze											R	R		R							
TECU [®] Gold				R		R	R	R	R		R	R	R			R	R	R			

** = min. order quantities, please ask

R = on request S = standard

	_pu	nch	_m	esh	_flati	mesh	_shape					
Format	670 x 2000	1000 x 2000	R	R	1000 x 2000	1000 x 3000	670 x 1000/3000	1000 x 2000/3000	1250 x 2000/3000			
Thickness (mm)	1.0 / 1.2	/ 1.5 / 2.0	1.0	/ 1.2	0.7 ,	/ 1.0	0.7 - 1.5					
Delivery Form	She	eets	She	eets	She	eets	Sheets					
TECU [®] Classic	R	R	R	R	R	R	R	R	R			
TECU [®] Classic_coated	R	R					R	R	R			
TECU [®] Oxid	R*	R*	R	R			R*	R *	R *			
TECU [®] Patina	R	R	R	R			R	R	R			
TECU [®] Patina_Boston	R	R										
TECU [®] Patina_Hamburg	R	R										
TECU [®] Patina_Madrid	R	R										
TECU [®] Patina_Oslo	R	R										
TECU [®] Zinn	R**											
TECU [®] Brass	R	R	R	R			R	R				
TECU [®] Brass_brownished	R	R										
TECU [®] Bronze	R		R	R			R					
TECU [®] Gold	R*	R*	R	R			R*	R*				
TECU [®] Iron_one**	R	R										
TECU [®] Iron_two**	R	R										

* = max. 1.2 mm ** = max. 0.7 mm R = on request

TECU [®] System	TECU®System														
		TECU [®] Shingles		TECU [®] Rh	omboids	TECU [®] Slot In Panels	TECU [®] Profiled Panels	TECU® Cassettes							
Format (mm)	600 x 430	430 x 430	600 x 600	518 x 830	518 x 758	max. width 400 max. length 4000	customized	customized							
Delivery Form	rectangular square square sharp edges round edges customized corrugated or trapezoidal custom														
Available as	TECU® Classic, TECU® Zinn, TE	TECU® Classic_c CU® Brass, TECU	oated, TECU® Oxi ® Brass_brownish	id, TECU® Patina, ned, TECU® Bronze	TECU® Patina_Bo e, TECU® Gold,TEC	ston, TECU® Patina_Hamburg CU® Iron_one, TECU® Iron_tw	g, TECU® Patina_Madrid, TECU o	J® Patina_Oslo,							



Architecture and Responsibility

Copper – a sustainable material

TECU[®] ECOLOGICAL COPPER

for a greener, more responsible Architecture

TECU[®] Project Consulting



Sustainability has become a part of our everyday language over the last twenty years. Materials made from copper and copper alloys are regenerative natural products that are almost as old as humanity itself. For as long as they have been used, their contribution to sustainable development has been substantial and continues to be considerable in many areas of our modern day-to-day lives. They ensure highly-efficient transport of energy for electrical engineering, rapid and reliable heat transfer for solar thermal energy, and extremely durable protection and long-term value maintenance in the construction industry, to name just a few of many examples.

TECU[®] products for external cladding of buildings and for roof drainage systems are manufactured exclusively from copper and copper alloys. Thus, the idea of sustainability is "in their very nature".



Another decisive benefit of the TECU[®] premium brand: All TECU[®] Classic, TECU[®] Oxid and TECU[®] Patina products are entirely made from 100% recycled material!

This substantial material benefit is an important argument for modern architecture, especially for buildings requiring a LEED, BREEAM or DGNB certificate often asked for in the planning of public buildings.

All material properties of TECU[®] products are exactly the same as with newly produced material and perform even better as requested by European standard EN 1172.



TECU[®] products from KME are made to meet the demands placed on them by all kinds of different constructions. Many of their recognized, quality features are a result of close communication with expert customers in the building industry.

TECU® stands for a combination of high quality and complete service. As the world's leading processor and refiner of copper and copper alloy products, KME provides its technical advisory service to developers, architects, clients and roofers throughout Europe and beyond.



TECU[®] Partner Network





There already is a widely spread European network of some hundred TECU[®] Partners and it is growing fast. Benefit from our know how, innovation from our planning services and the exchange of ideas with all the other TECU[®] Partners.





TECU® References

TECU[®] Classic



De Young Memorial Museum, San Francisco, USA Herzog & de Meuron Architekten, Basel, CH A. Zahner Co. Architectural Metals, Kansas City TECU[®] Classic



Volker Staab Architekten, Berlin Regensburger Metallbau, Regensburg TECU[®] Classic

Service Centre Theresienwiese, Munich, D



Alpine Recovery Centre, Südtorirol, I AllesWirdGut Architektur ZT, Wien Spenglerei Messner Robert, Rasun Anterselva TECU[®] Classic



Offices and industrial building, Koblach, A AIX Architects, Feldkirch Peter GesMBH + CoKG, Koblach TECU[®] Classic



Officer's quarters of the Royal Marines of the Netherlands, Den Helder, NL Van Herk & de Kleijn Architecten BV, Amsterdam Ridder BV, Hoorn TECU[®] Classic



"Privy Council" Office Building, Beijing, CN China National Academy of Painting, Beijing Beijing Xiangrun, Beijing TECU[®] Classic



Fitness Center, Sesto Fiorentino, I Studio architetto Fabio Capanni, Florence Idroflorence S.r.I., Badia a Settimo Scandicci (FL) TECU[®] Classic



PSG Copper Tower Nordre, Copenhagen, DK Arkitema K/S, Copenhagen NCC Construction A/S, Hellerup TECU[®] Classic

TECU® Classic















Radio-Log, Hof, D hiendl_schineis architektenpartnerschaft, Passau Franz Kraus GmbH & Co KG, Hammelburg TECU[®] Classic_bond

Harbour Control Tower, Lisbon, P

Gonçalo Byrne, G.B. Arquitectos, Lisbon

ESA - École Supérieure d'Art, Clermont-Ferrand, F

Zn-Revestimentos de Zinco Lda., Maia

Raimond SA, Saint-Julien de Condelles

Private Residence, Madrid, E

Bernalte y León Asociados, Ciudad Real

Kulturhus De Bijenkorf, Borne, NL

MAS architectuur BV, Hengelo

Dakcentrum+, Beilen

Ets. Fourquet, Perouges

TECU[®] Classic

TECU[®] Classic

METAZINCO[®], Madrid/Olloniego (Asturias)

TECU[®] Classic

TECU[®] Classic

TECU[®] Classic

Architecture Studio, Paris

Private Residence, Nuremberg, D Haid+Partner Architekten+Ingenieure, Nuremberg Schlosserei Spenglerei Straßl, Arnstorf TECU[®] Bond

BMAS, Canteen Building V, Bonn pbr, Planungsbüro Rohling AG, Osnabrueck KME Architectural Solutions, Osnabrueck TECU[®] Classic_bond

TECU[®] Patina



Galway-Mayo Institute of Technology, Galway, IRL Murray O'Laoire Architects, Cork Let it Rain Roofing Ltd., Galway TECU[®] Patina



Villa ArenA (Restaurant), Amsterdam, NL Virgile & Stone Associates Ltd., London in cooperation with Benthem Crouwel Architecten Leebo bouwsystemen BV. Drunen TFCU[®] Patina



Maggie's Highlands Cancer Caring Centre at Raigmore Hospital, Inverness, GB Page & Park Architects, Glasgow W B Watson I td Stewarton TECU[®] Patina, TECU[®] Oxid



Peckham Library, London, GB Alsop & Störmer, London Cleveco, Enfield TECU[®] Patina



Pilgrimage Church Padre Pio, San Giovanni Rotondo, I Renzo Piano Building Workshop, Genoa WAL S.r.I., Bregnano (CO) TECU[®] Patina

Centro Stampa Quotidiani, Brescia, I

Santinato, Castiglione delle Stiviere (MN)

TECNE S.r.l., Brescia

TECU[®] Patina



Private Residence, Sant Vincenç de Montalt, ES Marga Pérez Canal & Ana Aparicia, Barcelona KME Architectural Solutions, Sta. Perpètua de Mogoda, Barcelona TECU[®] Patina



"Boscotondo", Helmond, NL Adolfo Natalini Architetti, Florence Architectenburo C. Schrauwen, Amsterdam Crombach Dakafwerking BV, Wittem TECU[®] Patina

Object Architects Copper Contractor Cladding



TECU[®] Patina













Office and shop building "KAI 13", Düsseldorf, D Döring Dahmen Joeressen Architekten, Düsseldorf Zitzen GmbH, Mönchengladbach TECU[®] Patina

Caisse Régionale de Crédit Maritime de Sète, F Christophe Clair, Séte . TECU[®] Patina

Bank of Friesland, Leeuwarden, NL Van Tilburg Ibelings von Behr architecten, Capelle a/d IJssel Hankel's Wommels in cooperation with C.I. Ockeloen VOF. Amsterdam TECU[®] Patina

Underground station Hounslow West, London, GB Michael Watkins (Partner), London

(Acanthus, Lawrence and Wrightson Architects) Broderick Structures Ltd., Woking TECU[®] Patina

Residential building, Purmerend, NL Roy Gelders Architecten, Amsterdam

Ridder Dak- en Wandsystemen BV, Hoorn TECU[®] Patina

Private Residence, NL Charles Slot Bureau Ruimtelijke Vormgeving, Bergen PBK Technische Installaties BV, Alkmaar TECU[®] Patina

Yefei's Creative Street, Shanghai, SG Will Alsop Architects, London, GB: U/Jiang Architects & Engineers, Shanghai Hanchang Industrial Development Co., Shanghai TECU[®] Patina, TECU[®] Oxid, TECU[®] Bronze

Orto Botanico, Lago Cavazzo, Interneppo (UD), I Alberto Antonelli, Gemona del Friuli (UD) Alberto de Cecco, Osoppo, (UD) TECU[®] Patina

TECU[®] References

TECU[®] Oxid



Production and office building, Baar, CH Burkart, City of Baar Building Department Baar; Barkow Leibinger Architekten, Berlin *Gebr. Baur AG, Baar* TECU[®] Oxid



Forum, Amsterdam, NL Atelier PRO, The Hague *C.J. Ockeloen VOF, Amsterdam* TECU® Oxid



Ferryman's House, Fænø Gods, Middelfart, DK Schmidt, Hammer & Lassen A/S, Aarhus Eddie Clement A/S, Ejby TECU® Oxid



Spenglerei Messner Robert, Rasun Anterselva TECU® Oxid

Alpine Recovery Centre, South Tyrol, I

AllesWirdGut Architektur ZT, Wien



University Stuttgart, Stuttgart, D Rolf Loew, Stuttgart Dangel GmbH, Lenningen TECU® Oxid



Motorway Toll Collection Area, Lucca, I Ettore Piras Architetto, Genova Trenkwalder S.r.I., Ovada (AL) TECU® Oxid



Production and office building of Elektro Graf, Dornbirn, A Baumschlager & Eberle, Lochau *Güther GmbH, Feuchtwangen, D* TECU® Oxid



Villa Madré, Pisa, I Re Salvatore Architetto, Pisa Romano Donato Lattonerie S.r.I., Montevarchi TECU® Oxid

TECU[®] Zinn





Private Residence, Herrliberg, CH R. Baenziger, Zurich Hersperger, Meilen (Façades); Studer AG, Volketswil (Plumbing) TECU[®] Zinn

St. Mary of the Angels, Rotterdam, NL

Leidekkersbedrijf Jobse BV, Middelburg

Mecanoo architecten, Delft

TECU[®] Zinn

De Architecten Cie, Amsterdam

TECU[®] Zinn

Verkoelen Dakbedekkingen BV, Beegden

VCNON Traffic control centre, Wolfheze, NL





Administrative building of WeberHaus, Rheinau/Linxs, D Dipl.-Ing. Günter Hermann, Stuttgart *Wittenauer GmbH, Sasbach* TECU[®] Zinn

Haus am Fluss (House by the river),

Dipl.-Ing. Günter Hermann, Stuttgart

Güther GmbH, Feuchtwangen

TECU[®] Zinn

DGF Stoess AG, Eberbach/Neckar, D





Centro Cortonese, Perugia, I Hof, Perugia LattoneriaF umagalli, Lagonegro TECU[®] Zinn

Private Residence, Herrliberg, CH R. Baenziger, Zurich Hersperger, Meilen (Fassaden); Studer AG, Volketswil (Spenglerei) TECU® Zinn

TECU[®] Brass TECU[®] Bronze TECU[®] Gold



Villa Vauban, Luxenburg Diane Heirend & Philippe Schmit Architectes, Luxembourg Arge Préfalux SA/Annen KG, Luxenburg TECU® Brass



Fraunhofer Institut, Darmstadt, D JSWD Architekten, Köln Albertus Albrecht, Sommeritz TECU® Brass



Walpole house, London, UK Make Architects, London *CGL Systems Ltd, London* TECU* Brass



Granary Wharf - Abbey Road, Barking, UK Pollard Thomas Edwards Architects (PTE), London, UK Roles Broderick Roofing Ltd, Chobham, UK TECU[®] Bronze



Theater VICAR, Vicaro, ES Carbajal, Solinas, Verd Arquitectos METAZINCO, Madrid-Olloniego, Oviedo-Asturias TECU* Bronze



Art College (PEA), Les Herbiers, F Forma 6, Nantes, FR Raimond SAS, Saint-Julien-de-Concelles TECU® Gold



Vinorama Wine Museum, Rivaz, CH Fournier-Maccagnan, Bix Atelier D. Schlaepfer, Lausanne Metal-Xystem Pierre Diserens, Echandens TECU[®] Gold



Tree House, Hotel Le Vieux Manoir Murten/Morat, CH Jasmin Grego & Stephanie Kühnle Architektur, Zurich Scherrer Metec, Zurich TECU® Gold

Object Architects Copper Contractor Cladding



TECU® VISION













Office building of the International Ice Hockey Federation, Zurich, CH Tilla Theus und Partner AG, Zurich Scherrer Söhne AG, Zurich TECU® Classic_flatmesh

Private Residence, Tessin, CH Davide Macullo, Lugano, CH Torsetta SA Lattonieri, Muralto, CH TECU® Classic_flatmesh

InnovationsCampus, Wolfsburg AG, Wolfsburg, D

O.M. Architekten BDA, Braunschweig Bisping GmbH & Co., Münster TECU® Patina_mesh

BTV Bank, Innsbruck, A

Hanno Vogl-Fernheim, Innsbruck Spenglerei & Glaserei Anker, Hall TECU[®] Bronze_mesh

Private Residence, Bellevue Hill, AUS

Bureau SHR Pty. Ltd., Aimon Hanson, Paddington Impeccable Design Pty. Ltd., Noraville TECU[®] Brass_mesh

Residential Building "Le Galilée", Rennes, F Chouzenoux et Associés, Rennes SABM, Guichen TECU® Classic_mesh

switch+, Münster, D (2007) modulorbeat, Münster BSW Anlagenbau, Everswinkel, D rückwerk, Münster TECU® Gold_punch

Hotel Spa Castillo de Gorraiz, Gorraiz, E Arquitectos Asociados, Navarra, E TECU® Gold/Stainless_weave

KME Germany GmbH & Co. KG

Architectural Solutions P.O. BOX 3320 49023 OSNABRÜCK Klosterstraße 29 49074 OSNABRÜCK GERMANY Fon +49(0)541 321-2000 Fax +49(0)541 321-2111 www.kme.com info-tecu@kme.com

KME Italy S.p.A.

Architectural Solutions Via Morimondo, 26 Ex Richard Ginori Ed.01 Int. A5 20143 MILANO ITALY Fon +39 02 89140261 Fax +39 02 89140281 www.kme.com info-tecu-italy@kme.com

KME France S.A.S.

Architectural Solutions 11 bis, rue de l'Hôtel de Ville 92411 COURBEVOIE CEDEX FRANCE Fon +33(0)147896-849 Fax +33(0)147896-932 www.kme.com info-tecu-france@kme.com

KME Spain S.A.U.

Architectural Solutions Ctra_de_Sabadell B - 140 km5 Sta. Perpètua de Mogoda 08130 BARCELONA SPAIN Fon +34 93 5747090 Fax +34 93 5747091 www.kme.com info-iberica@kme.com

KME Yorkshire Limited

Architectural Solutions Severn House, Prescott Drive Warndon Business Park WORCESTER WR4 9NE UNITED KINGDOM Fon +44 (0) 1905 751800 Fax +44(0)1905751801 www.kme.com info-uk@kme.com

FRICKE GmbH

Eichendorffweg 10 48268 GREVEN GERMANY Fon +49 (0) 2575 309-0 Fax +49(0)2575 309-25 www.fricke-greven.de info-fricke@kme.com

KME America Inc. 1000 Jorie Boulevard, Suite 111 OAK BROOK, Illinois 60523 USA Fon +1(0)630 990-2025 Fax +1(0)630 990-0258 www.kme.com info-america@kme.com

KME Metals (Shanghai)

Trading Ltd. Hong Qiao Road 808, Rm. 8612 200030 Shanghai P.R.C. CHINA Fon +86 21 64478680 Fax +86 21 64478679 www.kme.com.cn info-china@kme.com

KME Benelux BVBA

Multiburo Culliganlaan 1B 1831 DIEGEM BELGIUM Fon +32 (0) 2 403 1173 Fax +32 (0) 2 403 11 69 www.kme.com info-benelux@kme.com

Architectural Solutions Austria Fon +43(0)69913629179 Fon +43(0)68110543832 info-austria@kme.com

Architectural Solutions Netherlands

Fon +31(0)6 53743892 Fon +31 (0) 78 621 29 91 info-nl@kme.com

Architectural Solutions Russia Fon +7 92 52 90 52 18 info-ru@kme.com

Architectural Solutions India Fon +91 80 43 58 03 02

info-india@kme.com

KME Danmark A/S

Næsbyvej 26 5000 ODENSE C DANMARK Fon +45 65 916410 Fax +45 65 916411 www.kme.com info-dk@kme.com

Sweden:

KME Danmark A/S, Sweden Box 118 64723 MARIEFRED SWEDEN Fon +46 15 910612 Fax +46 15 910613 www.kme.com info-s@kme.com

KME Polska Sp. z o.o.

ul. Wszystkich Swietych 11 32-650 KETY POLAND Fon +48 (0)33 841 09 95 Fax +48 (0)33 845 19 54 www.kme.com info-polska@kme.com

KME (Suisse) SA

Binzallee 22 8055 ZÜRICH SWITZERLAND Fon +41(0)43 3882000 Fax +41(0)43 3882001 www.kme.com info-ch@kme.com

Architectural Solutions Romania Fon +40314148449 Fax +40314148449 info-ro@kme.com

Architectural Solutions Czech Republic Fon +420 602 38 99 27 Fax +420 312 68 03 34 info-tecu-cz@kme.com

Architectural Solutions

South East Asia Fon +65 63 37 86 7 1 Fax +65 67 48 22 34 info-sg@kme.com





R = registered trademark

All changes reserved.

Owing to limitations in printing technology, the colours reproduced in this brochure should be regarded as approximate equivalents to the colours described.



Institut Bauen und Umwelt e.V.